

MATERIAL SAFETY DATA SHEET

PRO LINK PAINT OIL GREASE REMOVER

SECTION I: PRODUCT INFORMATION

TRADE NAME:PRO-LINK PAINT, OIL AND GREASE REMOVER
SUPPLIER/MANUFACTURER: Hunnisett Chemicals Limited, 200 Wicksteed Avenue, Toronto, Ontario M4G 2B6 (416) 421-5212
PREPARATION DATE: July 1, 2008
PRODUCT USE: Spotting Agent
PRODUCT IDENTITY: Mixture
CLASS B

SECTION II: HAZARDOUS INGREDIENTS

CHEMICAL IDENTITY:Naphtha solvent CAS# / NA# / UN#:64742-88-7 CONC. (W/W): 30 – 60%
OSHA PEL 100ppm, ACGH TLV 100PPM TOXICITY (LD50 & LC50): Not available
CHEMICAL IDENTITY : 2-Butoxyethanol CAS#/NA#/UN# 111-76-2 CONC.(W/W): 15 – 30%
OSHA PEL 50ppm, ACGH TLV 50ppm TOXICITY (LD50 & LC50
CHEMICAL IDENTITY: Surfonic N-60 CAS#/NA#/UN#: 9016-45-9 CONC(W/W) 1 – 5%
OSHA PEL, ACGH TLV: Not avaialable TOXICITY:LD 50 (oral, rat) 3.78 gm / kg
LD 50 (dermal) 2.00gm / kg
CHEMICAL IDENTITY : Primary Amyl Acetate CAS #, NA#, UN# 628-63-7 CONC(W/W): 1 – 5%
OSHA PEL 150ppm ACGH TLV 150ppm TOXICITY (LD50 & LC50) Not available

SECTION III: PHYSICAL DATA

PHYSICAL STATE: Liquid APPEARANCE AND ODOR: Clkear, colourless with "banana "smell
ODOR THRESHOLD: N/E SPECIFIC GRAVITY 0.830:
VAPOR PRESSURE N/E: VAPOR DENSITY N/E:
EVAPORATION RATE: <1 BOILING POINT: N/E
FREEZING POINT N/E: pH: N/A
COEFFICIENT OF WATER/OIL DISTRIBUTION:N/A WATER SOLUBILITY: Completely miscible

SECTION IV: FIRE AND EXPLOSION DATA

CONDITIONS OF FLAMMABILITY:
(a) Not flammable
(b) Product is combustible
MEANS OF EXTINCTIONUse proper media to primary cause of fire.:
FLASHPOINT & METHOD OF DETERMINATION: 6o.'C (closed cup)
UPPER FLAMMABLE LIMIT: N/E
LOWER FLAMMABLE LIMIT: N/E
AUTO-IGNITION TEMPERATURE: N/E
HAZARDOUS COMBUSTION PRODUCTS: None known.
EXPLOSION DATA-SENSITIVITY TO MECHANICAL IMPACT Not sensitive.:
EXPLOSION DATA-SENSITIVITY TO STATIC DISCHARGE: N/E

SECTION V: REACTIVITY DATA

CONDITION UNDER WHICH THE PRODUCT IS CHEMICALLY UNSTABLE: Stable
NAME OF ANY SUBSTANCE OR CLASS OF
SUBSTANCE WITH WHICH THE PRODUCT IS INCOMPATIBLE: Strong oxidizing agents and acids.
CONDITIONS OF REACTIVITY: Fire
HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO2, Ketones, Aldehydes and other ubnknown organic compounds.

SECTION VI: TOXICOLOGICAL PROPERTIES

ROUTE OF ENTRY:
SKIN CONTACT: May cause irritation. SKIN ABSORPTION: Irritant
EYE CONTACT: May cause irritation. INHALATION: May cause irritation of upper respiratory tract.
INGESTION: May cause abdominal discomfort, nausea and diarrhea.
EFFECTS OF ACUTE EXPOSURE TO PRODUCT: As abover
EFFECTS OF CHRONIC EXPOSURE TO PRODUCT: As above
EXPOSURE LIMITS: Not established
IRRITANCY OF PRODUC T: As above
SENSITIZATION TO PRODUCT: Not established CARCINOGENITY: None known
REPRODUCTIVE TOXICITY: None known TERATOGENICITY: None known
MUTAGENICITY: Monographs? N/A
NAME OF TOXICOLOGICALLY SYNERGISTIC PRODUCTS : Not known

MATERIAL SAFETY DATA SHEET

PRO LINK PAINT OIL GREASE REMOVER

2

SECTION VII: PREVENTATIVE MEASURES

PERSONAL PROTECTIVE EQUIPMENT: Safety glasses if splashing likely, optional use of rubber/neoprene gloves
ENGINEERING CONTROLS: Use in ventilated area
PROCEDURES TO BE FOLLOWED IN CASE OF A LEAK OR SPILL: Mop up or use diatomaceous earth.
WASTE DISPOSAL: Do not allow product to enter sanitary sewer. In accordance with Municipal & Provincial regulations.
HANDLING PROCEDURES AND EQUIPMENT: Keep away from sources of ignition.
STORAGE REQUIREMENTS: Store in a cool dry place.
SPECIAL SHIPPING INFORMATION: Petroleum Distillates, N.O.S., Odourless Mineral Spirits Class 3 UN 1268 Packing Group II

SECTION VIII: FIRST AID MEASURES

IN CASE OF EYE CONTACT: Flush with water for 15 minutes and contact a physician.
IN CASE OF SKIN CONTACT: Thoroughly wash exposed skin with soap and water.
IF INHALED: Remove to fresh air. If symptoms persist seek medical attention.
IF INGESTED: If swallowed, do not induce vomiting. Drink 2-3 glasses of water.
PHYSICIAN: Danger from lung aspiration must be weighed against toxicity when emptying stomach.

SPECIAL PRECAUTIONS

One should always use chemicals with awareness of potential hazards, known and unknown, and their effect on the human - system. We urge users to minimize employee exposure to all chemicals, including this product and to keep the level of exposure commensurate with good industrial hygiene practices.

PREPARATION INFORMATION

PREPARED BY: Hunnisett Chemicals

PHONE NUMBER: (416) 421-5212

24 HOUR EMERGENCY NUMBER: CANUTEC 1-613-996-6666

ISCLAIMER OF LIABILITY

The manufacturer and seller warrants that this product conforms to its standard specifications when used according to directions. As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim all expressed or implied warranties of merchantability or of liability from the use of this product. The information contained herein, as of this date, is believed to be true and accurate, but it is the user's obligation to study the MSDS and determine the conditions for the safe use of this product.
